

Vario

Application Manual

Wheel
Headlight
Leather
Metal Trim

※ Do not handle until all usage and precautions of this manual have been read and understood.




For Wheels — How to use

1. Wash off all the dirt and contaminants from the aluminum wheels before application.
2. Use an air blower to remove moisture completely. It causes coating to turn cloudy if moisture remains.
3. Use an application sponge to take an appropriate amount of liquid and apply it evenly to the wheel.
4. Spread it while wiping it up with a dry cloth immediately after application.
5. Wait for at least 5 minutes if you want to apply another layer. Repeat above steps several times to get a stronger layer.



For Headlights — How to use

1. Check the condition of headlights and remove the deteriorated hard coat layer by polishing.
2. Degrease the headlight surfaces. We recommend using hot water but not solvent, since solvent might cause cracks or white turbidity on headlights.
3. Use an air blower to remove moisture completely before application.
4. Apply one headlight at a time. Do not try to apply two headlights at the same time. Use an application sponge to take an appropriate amount of liquid and apply it evenly to the headlight.
5. Wipe it off with a dry cloth immediately after application.
6. If you expect a thicker coating layer, repeat Step 4 and Step 5.



For Leather — How to use

1. Remove all the dirt from leather surface with a special leather cleaner before application.
 2. Dry the leather thoroughly and make sure no cleaner ingredients or moisture remain.
 3. Use an application sponge to take an appropriate amount of liquid and apply it lightly and evenly to the leather surface.
 4. Wipe it off with a dry cloth immediately after application.
- ※ Do not try to apply to a large area on leather seat at one time. Apply to each area separately, such as head rest, backrest, seating and armrest.



For Metal Trim — How to use

1. Clean the metal trim before application. Polish it if necessary. (Recommended item: METAL AID Chrome One Step Finish)
2. Use an air blower to remove moisture completely and then degrease the surface before application. If coating agent contacts with water, it might cause white turbidity.
3. Use masking tape to keep coating from adhering to other parts except metal trim parts.
4. Use an application sponge to take a small amount of liquid.
5. Apply it lightly and evenly to the metal trim surface.
6. Wipe it off with a dry cloth immediately after application.
7. If you expect a thicker coating layer, repeat Step 4, 5 and 6.

Description and Safety Measures

Product Name: Vario

Main ingredients: Organic polysilazane compound

Intended purpose of use: Protective coating agent for interior and exterior parts of vehicles

Volume: 100ml



UN NUMBER: 2920

DESCRIPTION: Corrosive liquids, flammable, n.o.s.

CLASS: 8

SECONDARY HAZARD: 3

PACKING GROUP: II

Class 4 Flammable liquid

Petroleum No.2

Degree of danger III

Water-insoluble

Caution: Flammable No inhale or drink

Hazardous material name (Industrial Safety and Health Act): Naphtha, Dibutyl ether, Mineral Spirit, Nonane

HAZARD STATEMENTS

- Highly flammable liquid and vapour.
- Harmful if swallowed.
- May be fatal if swallowed and enters airways.
- Causes severe skin burns and eye damage.
- May cause respiratory irritation.
- May cause drowsiness or dizziness.
- May be harmful to aquatic life.
- Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

- Do not handle until all safety precautions have been read and understood.
- Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
- Store containers tightly closed.
- Ground/bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Avoid breathing dust/fume/gas/mist/vapours/spray.
- Wash your skin well after handling.
- Do not eat or drink or smoke while handling.
- Use only outdoors or in a well-ventilated area.
- Do not release to the environment.
- Wear protective gloves, clothing, goggles, mask.

FIRST AID MEASURES

- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a doctor/physician.
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs, get medical advice/attention.
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
- Wash contaminated clothing before reuse.
- In case of fire, extinguish with dry sand, dry chemical or alcohol resistance foam.
- Collect spillage.

HANDLING AND STORAGE

- Store in a cool and well-ventilated place. Keep product container tightly closed.
- Store locked up.
- Make consigning contracts with licensed industrial waste disposal operators and dispose of contents and containers in accordance with related local/regional regulations.

FETRADE®